

MODEL 20 SERIES

- Premium blowback airgun
- Full function blowback
- 1:1 scale
- Weaver rail compatible with standard flashlight and laser
- Semi auto / full auto options on model 20
- Operated by 12g CO2 cartridge
- Adjustable Hop up system



Trigger Safety



Adjustable Hop up



Tactical Sight

MODEL 54 SERIES

- High grade CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Integral muzzle break



Full auto option available



Double Action & Single Action

AIRGUN	AAKCMB202AZB							4.5 STEEL BB 4.5 mm (0.177") CO ₂
	AAKCMF202AZB / FULL AUTO							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	
	BLOWBACK	754 g	205 mm	1.6 Joule Max	96 m/s Max	METAL SLIDE	18 rds.	AAKCM190AZL


AIRSOFT	AAKCCB202AZB							6 AIRSOFT 6 mm (0.2g) CO ₂
	AAKCCF202AZB / FULL AUTO							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	
	BLOWBACK	734 g	205 mm	1.3 Joule Max	114 m/s Max	METAL SLIDE	15 rds.	AAKCCM190AZL

AIRGUN	AAKCMF541AZB							4.5 STEEL BB 4.5 mm (0.177") CO ₂	
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY		MAGAZINE
	BLOWBACK	1125 g	269 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	15 rds.		AAKCM510AZL


AIRSOFT	AAKCCF541AZB							6 AIRSOFT 6 mm (0.2g) CO ₂	
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY		MAGAZINE
	BLOWBACK	1094 g	269 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	21 rds.		AAKCCM510AZL

MODEL 07 SERIES

- Full function CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun operation including ejection port and hold open



Blowback



Adjustable Hop up




Adjustable Front Sight




Adjustable Rear Sight

MODEL 12 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge.
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Blowback





Adjustable Hop up

AIRGUN	AAKCMF070AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	2000 g	596 mm	1.8 Joule Max	101 m/s Max	HALF METAL	25 rds.	AAKMMM070AZL	

AIRSOFT	AAKCCF070AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	2000 g	596 mm	1.8 Joule Max	135 m/s Max	HALF METAL	39 rds.	AAKCCM070AZL	

AIRGUN	AAKCMB120AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	860 g	200 mm	1.8 Joule Max	100 m/s Max	METAL SLIDE	19 rds.	AAKCCM120AZL	

AIRSOFT	AAKCCB120AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	850 g	200 mm	1.6 Joule Max	125 m/s Max	METAL SLIDE	23 rds.	AAKCCM120AZL	



MODEL 15 SERIES

- High grade CO2 blowback
- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight and laser
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Blowback



Double Action and Single Action



Semi Auto



Full Auto



Rear Sight Adjustment



Semi / Full Auto Switch



Blowback





Wooden Pattern Grip



MODEL 18 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge.
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port



AIRGUN	AAKCMF150AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1100 g	215 mm	1.7 Joule Max	99 m/s Max	FULL METAL	19 rds.	AAKMM150AZL	

AIRSOFT	AAKCCF150AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1100 g	215 mm	1.6 Joule Max	126 m/s Max	FULL METAL	27 rds.	AAKCCM150AZL	


AIRGUN	AAKCMF180AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1410 g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	AAKMM180AZL	

AIRSOFT	AAKCCF180AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1400 g	300 mm	1.7 Joule Max	133 m/s Max	FULL METAL	22 rds.	AAKCCM180AZL	



MODEL 23 SERIES

- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Semi auto / Full auto
- Real gun disassembly process
- Ambidextrous safety and decocker
- Weaver rail compatible with standard flashlight, laser or scopes.



Double Action & Single Action



Ambidextrous Safety & Decocker



Semi auto / Full auto



High Capacity Magazine Available

Extended Magazine see P45



Realism Toggle-lock Recoil




Rear Sight Cover



1:1 SCALE



4" BARREL



MODEL 41 SERIES



- Realism toggle-lock recoil operation
- 1:1 SCALE
- Operated by 12g CO2 cartridge
- Real gun disassembly process
- Real gun operation including hold open

AIRGUN	AAKCMF230AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1080 g	216 mm	1.5 Joule Max	95 m/s Max	FULL METAL	18 rds.	AAKCM230AZL	

AIRSOFT	AAKCCF230AJB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1069 g	216 mm	1.5 Joule Max	125 m/s Max	FULL METAL	21 rds.	AAKCM230AZL	

AIRGUN	AAKCMB410AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	834 g	220 mm	1.6 Joule Max	95 m/s Max	FULL METAL	21 rds.	AAKCM410AZL	

AIRSOFT	AAKCCB410AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	830 g	220 mm	1.3 Joule Max	112 m/s Max	FULL METAL	15 rds.	AAKCM410AZL	



MODEL 44 SERIES

- Compact pistol
- Full function blowback
- Classic collector's replica
- High grade CO2 blowback
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop-up system
- Real gun operation including hold open
- Real gun disassembly process




Rear Sight Cover



Blowback




Anti Skid Grip



Adjustable Hop up

AIRGUN	AAKCMB440AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	737 g	160 mm	1.5 Joule Max	92 m/s Max	FULL METAL	15 rds.	AAKCM440AZL	

AIRSOFT	AAKCCB440AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	737 g	160 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	AAKCCM440AZL	



AAKCCB460EZB

DUAL TONE

MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Functional trigger safety



Adjustable sight



Single Action



Ambidextrous safety



Interchangeable grips

AIRGUN	AAKCMB460AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	815 g	185 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	16 rds.	AAKCM460AZL	

AIRSOFT	AAKCCB460AZB / AAKCCB460EZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	797 g	185 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	16 rds.	AAKCCM460AZL	

MODEL 48 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Interchangeable grips with three different sizes



▲ Interchangeable grips in different sizes



Scalloped Slide Serrations



Adjustable Hop up



Single Action Only



Tactical Rail

AIRGUN	AAKCMB480AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	724 g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	AAKMM480AZL	

AIRSOFT	AAKCCB480AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	710 g	194 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	15 rds.	AAKCCM480AZL	



▲ Interchangeable grips in different sizes



Ported slide



Single Action Only



Hidden manual safety



Blowback

AIRGUN	AAKCMB483AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	763 g	214 mm	1.8 Joule Max	102 m/s Max	HALF METAL	15 rds.	AAKMM480AZL	

AIRSOFT	AAKCCB483AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	757 g	214 mm	1.6 Joule Max	126 m/s Max	HALF METAL	15 rds.	AAKCCM480AZL	






AAKCCB510BZB
Silver Version Available



Blowback



Adjustable Rear Sight



Ambidextrous Safety

MODEL 51 SERIES


- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Semi Auto



Double Action & Single Action



MODEL 74 SERIES

- High grade CO2 blowback
- CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open

AIRSOFT	AAKCCB510AZB / AAKCCB510BZB						6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1104 g	268 mm	1.4 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZL

SPRING GUN	AAKACZ510AZB						6 AIRSOFT 6 mm (0.2g)	SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	SPRING COCKING	895 g	274 mm	0.5 Joule Max	73 m/s Max	HEAVY WEIGHT	26 rds.	AAKACS510AZN

AIRGUN	AAKCMB740AZB						4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1275 g	225 mm	2.0 Joule Max	108 m/s Max	FULL METAL	18 rds.	AAKCM740AZL

AIRSOFT	AAKCCB740AZB						6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1220 g	225 mm	1.8 Joule Max	135 m/s Max	FULL METAL	24 rds.	AAKCCM740AZL

MODEL 76 SERIES


- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open
- Strong blowback recoil



Customization (weathering edition)




Grip Safety



Adjustable Hop up

MODEL 77 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Strong blowback recoil



Blowback



Adjustable Hop up



High Capacity Magazine Available

Extended Magazine see P45

MAX Capacity **27** Steel rds.

CUSTOMIZATION



Weathering Edition



Slide With Hair Line Edition



Multi Color Grip

AIRGUN	AAKCB760AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	900 g	215 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	AAKMM760AZL	

AIRSOFT	AAKCB760AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	890 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCM760AZL	


AIRGUN	AAKCB770AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	925 g	220 mm	1.6 Joule Max	97 m/s Max	FULL METAL	17 rds.	AAKMM770AZL	

AIRSOFT	AAKCB770AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	900 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCM770AZL	



MODEL 88 SERIES


- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open





Rear Sight Adjustment



Ambidextrous Manual Safety



Adjustable Hop up



MODEL 89 SERIES

- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



Rail Can Add The Laser Scope



Slide Loading Bar




Muzzle brake

AIRGUN	AAKCMB880AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1240 g	215 mm	2 Joule Avg	109 m/s Avg	FULL METAL	17 rds.	AAKCM780AZL	

AIRSOFT	AAKCCB880AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1150 g	215 mm	1.4 Joule Max	119 m/s Max	FULL METAL	16 rds.	AAKCCM780AZL	

AIRGUN	AAKCMB890AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1437 g	279 mm	2 Joule Avg	109 m/s Avg	FULL METAL	17 rds.	AAKCM780AZL	

AIRSOFT	AAKCCB890AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1250 g	279 mm	1.4 Joule Max	119 m/s Max	FULL METAL	16 rds.	AAKCCM780AZL	



6X2 Rotary Clip



Rear Sight Cover



Anti Skid Grip

MODEL 44 PELLET SERIES

- Compact pistol
- Classic collector's replica
- Operated by 12g CO2 cartridge
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS440
- Spare rotary clip part # AAKCPW440




AIRGUN PELLETS

AIRGUN	AAKCPD441AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	754 g	162 mm	2.6 Joule Max	105 m/s Max	FULL METAL	6X2 Pellet	AAKCPW440AZL	



MODEL 46 PELLET SERIES

- Operated by 12g CO2 cartridge
- Semi auto only
- Novel pellet rotary clip design
- Tactical design with railed full metal slide
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS460
- Spare rotary clip part # AAKCPW460



8X2 Rotary Clip



Fiber Optic Sights



Tactical Railed Slide



Rubberized Grip



AIRGUN PELLETS

AIRGUN	AAKCPD463AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	799 g	182 mm	2.8 Joule Max	110 m/s Max	METAL SLIDE	8X2 Pellet	AAKCPW463AZL	

PELLET REVOLVER SERIES

- Classic revolver
- 1:1 scale
- Rotary pellet clip

AIRGUN	AAKCPD661AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	870 g	195 mm	2.5 Joule Max	100 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	

AIRGUN	AAKCPD671AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	955 g	230 mm	2.8 Joule Max	108 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	


AIRGUN	AAKCPD681AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1085 g	285 mm	3.0 Joule Max	110 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	




Double Action & Single Action Trigger



Anti Skid Grip



Vertical Adjustment



Horizontal Adjustment



MODEL 76 PELLET SERIES

- 1:1 SCALE
- Operated by 12g CO2
- SEMI AUTO
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare rotary clip part # AAKCPW760AZN



6X2 Rotary Clip



Anti Skid Grip



AIRGUN PELLETS

AIRGUN	AAKCPD761AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	990 g	220 mm	2.8 Joule Max	105 m/s Max	METAL SLIDE	6X2 Pellet	AAKCPW760AZL	

MODEL 40 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization.
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Full Metal grip on 42 series.



AIRGUN	AAKCMD401AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	840 g	220 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS400AZL	

AIRSOFT	AAKCCD401AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	840 g	220 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS400AZL	





MODEL 42 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization.
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Full Metal grip on 42 series.



Tactical Rail

AIRGUN	AAKCMD421AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1073 g	223 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	20 rds.	AAKCMS420AZL	

AIRSOFT	AAKCCD421AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1050 g	220 mm	2.3 Joule Max	152 m/s Max	METAL SLIDE	14 rds.	AAKCCS420AZL	

MODEL 43 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Semi auto
- Metal slide and hammer case for realistic weight



AIRGUN	AAKCMD431AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	205 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	22 rds.	AAKCMS430AZL	

AIRSOFT	AAKCCD431AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	205 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS430AZL	



MODEL 44 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto only
- Compact of pistol
- Super stable and long life



Fixed Aperture Sight



High Capacity Magazine



Metal Telescopic Stock



Post Front Sight

AIRGUN	AAKCMD440AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	390 g	160 mm	2.9 Joule Max	130 m/s Max	PLASTIC FRAME	18 rds.	AAKCMS440AZL	

AIRGUN	AAKCMD441AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	160 mm	2.9 Joule Max	130 m/s Max	FULL METAL	18 rds.	AAKCMS440AZL	

AIRSOFT	AAKCCD441AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	775 g	160 mm	1.9 Joule Max	138 m/s Max	FULL METAL	13 rds.	AAKCCS440AZL	

AIRGUN	AAKCMD550AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	531 g	255 mm	2.9 Joule Max	130 m/s Max	PLASTIC WITH METAL STOCK	39 rds.	AAKCMS550AZL	

AIRSOFT	AAKCCD550AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	531 g	255 mm	2.3 Joule Max	152 m/s Max	PLASTIC WITH METAL STOCK	26 rds.	AAKCCS550AZL	

MODEL 55 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Super stable and long life.
- Telescopic stock
- High capacity magazine
- Semi auto only



REVOLVER SERIES

- Classic revolver
- Double action & single action trigger
- Full metal
- Shell loaded revolver




AIRGUN	AAKCMD661AZB / AAKCMD661BZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	900 g	200 mm	1.3 Joule Max	86 m/s Max	FULL METAL	6 rds.

AIRSOFT	AAKCCD661AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	900 g	200 mm	1.9 Joule Max	138 m/s Max	FULL METAL	6 rds.



Vertical Adjustment



Horizontal Adjustment



Manual Safety



Speedloader

Speedloader see P45



AIRGUN	AAKCMD671AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	950 g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	6 rds.

AIRSOFT	AAKCCD671AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	950 g	235 mm	1.9 Joule Max	138 m/s Max	FULL METAL	6 rds.



AIRGUN	AAKCMD681AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	1100 g	285 mm	2.9 Joule Max	130 m/s Max	FULL METAL	6 rds.

AIRSOFT	AAKCCD681AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂					
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	NON-BLOWBACK	1100 g	285 mm	2.3 Joule Max	150 m/s Max	FULL METAL	6 rds.



MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- Series of products with several versions of different materials and power sources, see chart below for more detail



AIRGUN	AAKCMD460AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	565 g	180 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS460AZL

AIRGUN	AAKCMD461AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	725 g	180 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS460AZL

AIRSOFT	AAKCCD460AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	520 g	180 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS460AZL

AIRSOFT	AAKCCD461AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	710 g	180 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS460AZL

SPRING GUN	AAKACZ460AZA 6 AIRSOFT 6 mm (0.2g) M/M/M/M/M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	SPRING COCKING	580 g	180 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	25 rds.	AAKACS460AZN

AIRGUN	AAKCMD470AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	590 g	190 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS470AZL

AIRGUN	AAKCMD471AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	760 g	190 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS470AZL

AIRSOFT	AAKCCD470AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	510 g	190 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	14 rds.	AAKCCS470AZL

AIRSOFT	AAKCCD471AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	685 g	190 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	14 rds.	AAKCCS470AZL

SPRING GUN	AAKACZ470AZA 6 AIRSOFT 6 mm (0.2g) M/M/M/M/M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	SPRING COCKING	600 g	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS470AZN



MODEL 47 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 250 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



MODEL 48 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail

AIRGUN	AAKCMD480AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	515 g	193 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	19 rds.	AAKCMS480AZL	

AIRGUN	AAKCMD481AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	710 g	193 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	19 rds.	AAKCMS480AZL	

AIRSOFT	AAKCCD480AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	480 g	190 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS480AZL	

AIRSOFT	AAKCCD481AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	700 g	190 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS480AZL	

SPRING GUN	AAKACZ480AZA							6 AIRSOFT 6 mm (0.2g)	WVVVVV SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	SPRING COCKING	520 g	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS480AZN	



SPRING AIRGUN SERIES

- Spring powered airgun
- Easy operation with durable long life
- High capacity magazine can load up to 70 BBs per magazine.
- Each loading is 16 rounds.



Also available in metal slide



Spring Steel Gun



High Capacity Magazine

SPRING GUN	AAKAMZ030AZB							4.5 STEEL BB 4.5 mm (0.177")	SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	265 g	196 mm	0.6 Joule Max	57 m/s Max	FULL PLASTIC	16 rds.	AAKAMS030AZN	



SPRING GUN	AAKAMZ110AZB							4.5 STEEL BB 4.5 mm (0.177")	SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	231 g	219 mm	0.6 Joule Max	63 m/s Max	FULL PLASTIC	16 rds.	AAKAMS110AZN	



SPRING AIRGUN SERIES

- 1:1 scale
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- 205 rds BB reservoir with 15 rds per load



Rubberized Grip



.177 Airgun



High Reservoir Magazine

SPRING GUN	AAKAMZ460AZB							4.5 STEEL BB 4.5 mm (0.177")	SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	260 g	183 mm	0.5 Joule Max	55 m/s Max	PLASTIC SLIDE	15 rds.	AAKAMS460AZN	

SPRING GUN	AAKAMZ461AZB							4.5 STEEL BB 4.5 mm (0.177")	SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	425 g	183 mm	0.5 Joule Max	55 m/s Max	METAL SLIDE	15 rds.	AAKAMS460AZN	

SPRING AIRSOFT SERIES

- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



AAKACZ030BZA · AAKACZ032BZA

Silver Version Available



SPRING GUN	AAKACZ030AZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030AZN	

SPRING GUN	AAKACZ030BZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030BZN	

SPRING GUN	AAKACZ032AZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-HOP UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030AZN	

SPRING GUN	AAKACZ032BZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-HOP UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030BZN	



AAKACZ112BZA

Silver Version Available

SPRING GUN	AAKACZ112AZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	320 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN	

SPRING GUN	AAKACZ112BZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON HOP-UP	320 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110BZN	



AAKACZ113BZA

Silver Version Available



SPRING GUN	AAKACZ113AZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN	

SPRING GUN	AAKACZ113BZA							6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110BZN	



AKACZ130BZA · AAKACZ132BZA

Silver Version Available



SPRING GUN	AAKACZ130AZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS13AZN

SPRING GUN	AAKACZ130BZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN

SPRING GUN	AAKACZ132AZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN

SPRING GUN	AAKACZ132BZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN



SPRING GUN	AAKACZ260AZC							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	760	225 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS260AZN



AAKACZ142BZA

Silver Version Available

SPRING GUN	AAKACZ142AZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	355 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140AZN

SPRING GUN	AAKACZ142BZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	355 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140BZN



AAKACZ162BZA

Silver Version Available

SPRING GUN	AAKACZ162AZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	330 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160AZN

SPRING GUN	AAKACZ162BZA							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	330 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160BZN

MODEL M4 SERIES

- Dual spring loading system
- R.I.S hand guard
- High density composite material for extended durability
- Adjustable stock to fit all arm lengths
- High capacity 350 rounds reservoir in magazine



HOP-UP

HIGH CAP
 350
 rds.

SPRING GUN	AAKACZ360AZC							6 AIRSOFT 6 mm (0.2g)	 SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	1306 g	795 mm	0.7 Joule Max	82 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT	



HOP-UP

HIGH CAP
 350
 rds.


SPRING GUN	AAKACZ370AZC							6 AIRSOFT 6 mm (0.2g)	 SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	1544 g	798 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT	




HOP-UP

HIGH CAP
 350
 rds.

SPRING GUN	AAKACZ380AZC							6 AIRSOFT 6 mm (0.2g)	 SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	HOP-UP	1320 g	684 mm	0.7 Joule Max	84 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT	




Adjustable Hop-up



Classic Loading



Fast Reloading



Fast Reloading

AAKZZW006BZX

0.20g BB, 2000 Counts BOTTLE



AAKZZW006AZX

0.12g BB, 2000 Counts BOTTLE



AAKZZW033AZX

0.12g BB
750 Counts GRENADE shape



AAKZZW033BZX

0.20g BB
750 Counts GRENADE shape



AAKZZW080AZX

4.5 mm Steel BB
2000 counts / Grenade

AAKCPW680AZN

Pellet Revolver Clip



Shells are not included

AAKZZW150AZL

6 mm / 4.5 mm Speedloader



Pellet Rotary Clip
Assembly for Pellet gun

AAKCPW760AZN 4.5 mm

6X2 Pellet



AAKCPW460AZN 4.5 mm

8X2 Pellet



AAKCPW440AZN 4.5 mm

6X2 Pellet

AAKZZW046AZE

Gel Target



AAKZZW041AZE

Trap Target



AAKZZW047AZC

3-Bull's eye Multi-Function Auto Trap Target

AAKCMM771AZL

4.5 mm **27** Steel rds.

AAKCCM771AZL

6 mm **26** Plastic rds.



AAKCCM231AZL

6 mm **41+1** Plastic rds.



AAKZZW035AZT

Universal Rubber Grip



AAKZZW134DZU

Brown finish color

